SEQUENCE LISTING

```
<110> Weller, Dwight D.
      Reddy, Todime Muralimohan
<120> Method for Analysis of Oligonucleotide
  Analogs
<130> 50450-8038.US00
<140> Not Yet Assigned
<141> Filed Herewith
<150> US 60/229,245
<151> 2000-08-30
<160> 10
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> antisense to nucleotides 2551-2570 of human c-myc
      at Genbank X00196
<400> 1
acgttgaggg gcatcgtcgc
                                                                         20
<210> 2
<211> 15
<212> DNA
<213> Artificial Sequence
<220>
<223> fragment of SEQ ID NO: 1
<400> 2
                                                                         15
gaggggcatc gtcgc
<210> 3
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> fragment of SEQ ID NO: 1
<400> 3
                                                                         18
acgttgaggg gcatcgtc
<210> 4
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> fragment of SEQ ID NO: 1
<400> 4
```

| acgttgaggg gcatcg | 16 |
|---|----|
| <210> 5 | |
| <211> 14 | |
| <212> DNA <213> Artificial Sequence | |
| | |
| <220> | |
| <223> fragment of SEQ ID NO: 1 | |
| <400> 5 | |
| acgttgaggg gcat | 14 |
| <210> 6 | |
| <211> 12 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| <220> | |
| <223> fragment of SEQ ID NO: 1 | |
| | |
| <400> 6 gttgaggggc at | 12 |
| geegagggge ac | |
| <210> 7 | |
| <211> 16 <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> fragment of SEQ ID NO: 1 | |
| <400> 7 | |
| tgaggggcat cgtcgc | 16 |
| <210> 8 | |
| <211> 16 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| <220> | |
| <223> fragment of complement to SEQ ID NO: 1 | |
| 20015 migg footure | |
| <pre><221> misc_feature <222> (1)(4)</pre> | |
| $\langle 223 \rangle$ n = A,T,C or G | |
| | |
| <400> 8 nnnngcgacg atgccc | 16 |
| mmgagaag aagaaa | |
| <210> 9 | |
| <211> 10 <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <pre><220> <223> fragment of complement to SEQ ID NO: 1</pre> | |
| (223) Tragment of complement to SEQ ID No. 1 | |
| <400> 9 | |
| cgacgatgcc | 10 |
| <210> 10 | |
| <211> 19 | |
| <212> DNA <213> Artificial Sequence | |
| Z Z L S N A Z E I E I Z P C I D P C C P C P C P C P C P C P C P C P C | |

<220> <223> deletion variant of SEQ ID NO: 1

<400> 10 acgttgaggg gcatctcgc

19